



ELEVATION



PLAN

VESSEL STANDARDS

VESSEL MATERIALS : CARBON STEEL	APPROXIMATE VOLUME OF VESSEL : 10 FT ³
LINING : DOUBLE EPOXY / PHENOLIC	STANDARD CARBON FILL : 250 LBS
EXTERIOR PAINT : ACRYLIC ALKYD ENAMEL	SHIP WT. / OPERATING WT. (STD. FILL) : 335 LBS / 975 LBS
INTERNALS : SCH 40 PVC	CARBON TYPE : TIGG 5D 1240 LIQUID PHASE
ADSORBENT OUTLET ASSEMBLY : REMOVABLE LID	MAXIMUM OPERATING PRESSURE : 6 PSIG
LIQUID DRAIN ASSEMBLY : 1/2" PLUG	MAXIMUM OPERATING TEMPERATURE : 130°F

2	DRAIN ELEVATION	JB	5/5/03
1	TITLEBLOCK	JB	3/10/03
NO.	REVISION	BY	DATE
PROJECT		STANDARD	
PROJ. NO.	SALES	 TIGG corporation	
P.O. NO.			
<small>THIS DRAWING AND DESIGN ARE THE PROPERTY OF TIGG CORP. AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART NOR EMPLOYED FOR ANY PURPOSE OTHER THAN SPECIFICALLY PERMITTED IN WRITING BY TIGG CORP. THIS DRAWING LOANED, SUBJECT TO RETURN ON DEMAND.</small>			
DRAWN BY	ZS		
DESIGN BY	BL	C-20-OH-DRUM	
CHKD. BY	BL	DWG. NO. C-20-OH-1001	
DATE	10/12/99		
SCALE	NTS		
		REV.	2