



ELEVATION



PLAN

VESSEL STANDARDS

VESSEL MATERIALS : CROSS-LINKED POLYETHYLENE	APPROX. VOLUME OF VESSEL : 2 FT <sup>3</sup>
LINING : N/A	STANDARD CARBON FILL : 50 LBS
EXTERIOR PAINT : N/A	SHIP WT./OPERATING WT.(STD. FILL) : 58 LBS / 165 LBS
INTERNALS : SCHEDULE 40 PVC	CARBON TYPE : TIGG 5D 1240 LIQUID PHASE
ADSORBENT OUTLET ASSEMBLY : N/A	MAXIMUM OPERATING PRESSURE : 6 PSIG
LIQUID DRAIN ASSEMBLY : N/A	MAX. OPERATING TEMPERATURE : 130°F

1		REVISE TITLEBLOCK	JB	6/18/03
NO.	REVISION		BY	DATE
PROJECT				
STANDARD				
PROJ. NO.		SALES		
P.O. NO.				
<small>THIS DRAWING AND DESIGN ARE THE PROPERTY OF TIGG CORP. AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART, NOR EMPLOYED FOR ANY PURPOSE OTHER THAN SPECIFICALLY PERMITTED IN WRITING BY TIGG CORP. THIS DRAWING LOANED, SUBJECT TO RETURN ON DEMAND.</small>				
DRAWN BY	ZS			
DESIGN BY	BL			
CHKD. BY	BL			
DATE	5/11/00			
SCALE	NTS			
DWG. NO. C-2 XP-1001			REV.	1

C 2-XP

DWG. NO. C-2 XP-1001

REV. 1