



\* STAINLESS STEEL BED RETENTION PLATE; 140°F WITH PE PLATE

## VESSEL STANDARDS

VESSEL MATERIALS : CARBON STEEL A-36	BED VOLUME STD : 250 FT <sup>3</sup>
LINING : HIGH SOLIDS EPOXY	CARBON FILL : 6,000 LBS
EXTERIOR PAINT : HIGH SOLIDS EPOXY	SHIP WT. EMPTY/STD.FILL : 7,000 LBS/13,000 LBS
WALL THICKNESS :	CARBON TYPE : TIGG 5CP-4MM VAPOR PHASE
FLOOR THICKNESS :	MAX. OPERATING PRESSURE : 1 PSI
INTERNALS : PLENUM	MAX. OPERATING TEMP. : * 180°F *
ADSORBENT OUTLET ASSEMBLY : 24" X 42" CLAMPED ACCESS AND 86" X 16" BOLTED DOOR	

3	REVISE STANDARDS	JB	8/23/07
2	REVISE CARBON FILL	JB	6/18/07
1	CHANGE PRESSURE RATING TO 1 PSI	JB	3/8/07
NO.	REVISION	BY	DATE

PROJECT	
NB-8	
PROJ. NO.	SALES
P.O. NO.	
THIS DRAWING AND DESIGN ARE THE PROPERTY OF TIGG CORP. AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN SPECIFICALLY PERMITTED IN WRITING BY TIGG CORP. THIS DRAWING LOANED SUBJECT TO RETURN ON DEMAND.	
DRAWN BY	JB
DESIGN BY	BB
CHKD. BY	BB
DATE	11/11/05
SCALE	NTS



PLAN & ELEVATION

DWG. NO.	NB-8-1001	REV.	3
----------	-----------	------	---